

Title: 15625 Receptor, A Novel G-Protein

Coupled Receptor Inventor(s): Glucksmann et al. Application No: Not Assigned

Atty Dkt No: 35800/238853(5800-13B)

1/8

Input file flh15625cons; Output File 15625tr Sequence length 2286

AGAGCACTCAAGACTTTACTGACGAAAACTCAGGAAATCCTCTATCACAAAGAGGTTTGGCAACTAAACTAAGACATTA M Q A V D N L T S A P G N T ACTTATCACCTAACCAACAACAA ATG CAA GCC GTC GAC AAC CTC ACC TCT GCG CCT GGG AAC ACC SLCTRDYKITQVLF P L Y T V 34 AGT CTG TGC ACC AGA GAC TAC AAA ATC ACC CAG GTC CTC TTC CCA CTG CTC TAC ACT GTC 102 54 LFFVGLITNGL A M R I F F CTG TTT TTT GTT GGA CTT ATC ACA AAT GGC CTG GCG ATG AGG ATT TTC TTT CAA ATC CGG 162 SKSNFIIFL K N T V I S 74 AGT AAA TCA AAC TIT ATT ATT TIT CIT AAG AAC ACA GIC ATT TCT GAT CIT CIC ATG ATT 222 G . 94 I L S Ð A K L LTFPFK CTG ACT TIT CCA TIC AAA ATT CIT AGT GAT GCC AAA CTG GGA ACA GGA CCA CTG AGA ACT 282 F Y F T M Y 114 F V C Q V T s V I TTT GTG TGT CAA GTT ACC TCC GTC ATA TTT TAT TTC ACA ATG TAT ATC AGT ATT TCA TTC 342 T S N 134 D R Y Q K т т R ₽ K Ι CTG GGA CTG ATA ACT ATC GAT CGC TAC CAG , AAG ACC ACC AGG CCA TTT AAA ACA TCC AAC 402 v v i W 154 AKILS F L G CCC AAA AAT CTC TTG GGG GCT AAG ATT CTC TCT GTT GTC ATC TGG GCA TTC ATG TTC TTA 462 K N 174 T N R Q P R P N М I L CTC TCT TTG CCT AAC ATG ATT CTG ACC AAC AGG CAG CCG AGA GAC AAG AAT GTG AAG AAA 522 GLVWHEIV 194 L K S E F TOC TCT TTC CTT AAA TCA GAG TTC GGT CTA GTC TGG CAT GAA ATA GTA AAT TAC ATC TGT 582 I V I V C Y T 214 L I T K Ι N F L CAA GTC ATT TTC TGG ATT AAT TTC TTA ATT GTT ATT GTA TGT TAT ACA CTC ATT ACA AAA 642 RSYVRTRGVGK 234 GAA CTG TAC CGG TCA TAC GTA AGA ACG AGG GGT GTA GGT AAA GTC CCC AGG AAA AAG GTG 702 N V K V F I I I A V F F I C 254 F v AAC GTC AAA GTT TTC ATT ATC ATT GCT GTA TTC TTT ATT TGT TTT GTT CCT TTC CAT TTT 762 274 ARIPYTLSQTRDVF D C T A GCC CGA ATT CCT TAC ACC CTG AGC CAA ACC CGG GAT GTC TTT GAC TGC ACT GCT GAA AAT 822

FIG 1A

TECH CENTER 1600/2900



15625 Receptor, A Novel G-Protein Coupled Receptor

Inventor(s): Glucksmann et al. Application No: Not Assigned Atty Dkt No: 35800/238853(5800-13B)

2/8

| T | L | F | Y | v | K | E | s | T | L | W | L | T | S | L | N | A. | С | L | D | 294 |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------------|------|
| ACT | CTG | TTC | TAT | GTG | AAA | GAG | AGC | ACT | CTG | TGG | TTA | ACT | TCC | TTA | AAT | GCA | TGC | CIG | GAT | 882 |
| P | F | I | Y | F | F | L | С | K | s | F | R | N | s | L | I | s | M | L | ĸ | 314 |
| ccc | TTC | ATC | TAT | TTT | TTC | CTT | TGC | AAG | TCC | TTC | AGA | AAT | TCC | TTG | ATA | AGT | ATG | CTG | AAG | 942 |
| С | P | N | s | A | т | s | Ľ | s | Q | D | N | R | к | K | E | Q | D | G | G | 334 |
| TGC | œ | AAT | TCT | GCA | ACA | TCT | CIG | TCC | CAG | GAC | AAT | AGG | AAA | AAA | GAA | CAG | GAT | CCT | GGT | 1002 |
| D | P | N | E | E | T | P | М | . * | | | | | | ٠ | | | | | | 343 |
| GAC | CCA | AAT | GAA | GAG | ACT | CCA | ATG | TAA | | | | | | | | | | | | 1029 |

ACAAATTAACTAAGGAAATATTTCAATCTCTTTGTGTTCAGAACTCGTTAAAGCAAAGCGCTAAGTAAAAAATATTAACT GACGAAGAACCAACTAAGTTAATAATAATGACTCTAAAGAAACAGAAGATTACAAAAAGCAATTTTCATTTACCTTTTCCA GTCATGCTGCATGCAAAACTACACAGAATTCATGTTTTGCAGAGTTTTGCCAAAAATGAGTAATCATATAATATTTACTG TAATTTTTAAAATACATTATOGTTCACAATTTTATTTTTCATAATCAACTAAGGAAGAAGAACGATCAATTGGATATAATT TCTTACCAAAAATGATAGTTAAAAATGTATATATATCCTAGTCCCCTAACCAAATCCTGACCTATTGGGATACTTATAAA **AATTTAAGTAAGTOGGATACACAAAGAATAACTATTAACTTTTCATTATTAGCAAAAAACCTAAGGGATTTAAACTA** GAGAAGAATATOGAAGTCATTAAAATAAGGAGACTTACTTTTATGACATTCTAATAATAAAAAAATATATTC TTGCACAGCATAACTACTGAGAGGAAAGTGATTGATCTGTTTGTAATTACTTGTTTTGTATTGGTGTGTATAAAATACAA



Coupled Receptor, A Novel G-Protein
Coupled Receptor
Inventor(s): Glucksmann et al.

Application No: Not Assigned Atty Dkt No: 35800/238853(5800-13B)

3/8

Score: 184.21 Seq: 42 298 Model: 1 269 *GNiLVIWvIcRyRRMRTPMNYFIvNLAVADLLFslftMPFWMvYyvMqg N+L + ++++ R+ ++ ++F+ N ++DLL+ ++T+PF +++ + G Flh15625or 42 TNGLAMRIFFQIRS-KSNFIIFLKNTVISDLLM-ILTFPFKILSDAKLG RWpFGdfMCrIWmYFDYMNMYASIFfLTcISIDRYLWAICHPMrYmRWMT + P+ +F+C +++ ++Y++MY SI FL +I+IDRY+ ++P++ + + Flh15625or 89 TGPLRTFVCQVTSVIFYFTMYISISFLGLITIDRYQ-KTTRPFKTSNPKN

>PF00001 PF00001 7 transmembrane receptor (rhodopsin family)

pRHRAWvMIiiIWvMSFlISMPPFLMFrWstyrDEneWNmTWCmIyDWPe
+ A+++++HW+++FL+S+P + M+ + T+R ++ N+ C++ E
Flh15625or 138 LL-GAKILSVVIWAFMFLLSLP-N-MI-L-TNRQPRDKNVKKCSF-LKSE 181
..wMWrWYvILmtiimgFYIPMiIMlFCYwRIYRIaRlWMRMIpswQrRR

W +V ++ + F I ++I ++CY++I +++++ ++ ++ ++ ++ Flh15625or 182 FGLVWHEIVNYICQ-VIFWINFLIVIVCYTLITKELYRSYVRTRGVGK-- 228

rrlwmY.IfeWLaYvNCpCiNPIIY*
++++ ++WL ++N C++P+IY
Flh15625or 275 TLFYVKESTLWLTSLNA-CLDPFIY 298

TECH CENTER 1600/2900

88

137



Inventor(s): Glucksmann et al.

Title: 15625 Receptor, A Novel G-Protein

Coupled Receptor

Application No: Not Assigned Atty Dkt No: 35800/238853(5800-13B)




FIG 3

TECH CENTER 1600/2900 FEB 2 5 2005

RECEIVED



Title: 15625 Receptor, A Novel G-Protein

Coupled Receptor
Inventor(s): Glucksmann et al.
Application No: Not Assigned


Application No: Not Assigned
Atty Dkt No: 35800/238853(5800-13B)

5/8

15625orfaa -> KD Hydrophobicity <11/1>

Protein sequence

343 a.a. MQAVDNLTSAPG ... DGGDPNEETPMZ





Title: 15625 Receptor, A Novel G-Protei

Coupled Receptor Inventor(s): Glucksmann et al. Application No: Not Assigned

Atty Dkt No: 35800/238853(5800-13B)

6/8

>PS00001|PD0C00001|ASN_GLYCOSYLATION N-glycosylation site. N[^*P][ST][^*P]

Quexy: 6 nlts 9

Query: 13 ntsl 16

>PS00004|PD0C00004|CAMP_PHOSPHO_SITE cAMP- and cGMP-dependent protein kinase phosphorylation site.

[RK] (2) [A-Z] [ST]

Query: 173 kkcs 176

>PS00005|PDOC00005|PKC_PHOSPHO_SITE Protein kinase C phosphorylation site. [ST][A-Z][RK]

Query: 126ttr 128

Query: 163 tnr 165

Query: 304 sfr 306

>PS00008|PDOC00008|MYRISTYL N-myristoylation site. G[^*EDRKHPFYW][A-Z]{2}[STAGCN][^*P]

Query: 39 glitng 44

Query: 333 ggdpne 338



Title: 15625 Receptor, A Novel G-Protein Coupled Receptor

Inventor(s): Glucksmann et al.
Application No: Not Assigned

Atty Dkt No: 35800/238853(5800-13B)

7/8

Input file 79a2cons; Output File 79a2tra Sequence length 2272

 ${\tt TGAAAACTCAGGAAATTCTCTATCACAAAGAGGTTTGGCAACTAAACTAAGACATTAAAAGGAAAATACCAGATGCCAC$

TCTGCACGTTGCAATAACTACTATTTACTGGATACATTCAAATCCTCCAGAATCAACGGTTATCAGGTAACCAACAAGA

| A A | M (IG C | Q A AA G | A : | I i | D 1 AC A | N I | L : | r : | S I | A 1 CG C | e (| G A | N S | r s | S I | L (IG T | C S GC A | T 1 CC A | R GA | 19 57 |
|----------|-------------|-------------|----------|----------|-------------|----------|----------|----------|----------|-------------|------------|----------|----------|----------|----------|-------------|-------------|-------------|----------|------------|
| | | | | | | | L CTC | | | | | | | | | | | | | 39 117 |
| L CTC | I ATC | T ACA | N AAT | S | L CTG | Ä GCG | M ATG | R AGG | I ATT | F | F TTT | Q CAA | I ATT | R CGG | S AGT | K | S TCA | N | F TTT | 59 177 |
| I | I | F | L | ĸ | N | T | v | I | s | D | . L | L | м | I | L | T | F | P | F | 79 |
| TTA | ATT | TTT | CTT | AAG | AAC | ACA | GTC | ATT | TCC | GAT | CTT | CTC | ATG | ATT | CTG | ACT | TTT | CCA | TTC | 237 |
| | | | | | | | L CTG | | | | | | | | | | | Q CAA | V GTT | 99 297 |
| | | | | | | | T ACA | | | | | | | | | | | I ATA | | 119 357 |
| I | D | R | Y | Q | ĸ | T | T | R | P | F | к | т | s | N | P | ĸ | N | L | . L | 139 |
| ATC | GAT | CGC | TAC | CAG | AAG | ACC | ACC | AGG | CCA | TTT | AAA | ACA | TCC | AAC | CCC | AAA | AAT | CTC | TTG | 417 |
| G GGG | | | | | | | L CTC | | | | | | | | | | L TTG | P CCT | N AAC | 159 477 |
| M ATG | | | | | | | P CCA | | | | | | | | | S TCT | F TTC | | K AAA | 179 537 |
| S TCA | E GAG | | | | | | H CAT | | | | | | | | | | | | | 199 597 |
| I | N | F | L | I | v | I | V GTA | С | Y | T | L | ı | T | к | E | L | Y | R | s | 219 657 |
| | | R. | | | | | G | | | | | | | | | | | v | | 239 |
| | | | | | | | GGT | | | | | | | | | | | | | 717 |
| | | | | | | | I ATT | | | | | | | | | | | | Y TAT | 259 777 |
| T ACC | | S AGC | 74. | T ACC | | | V GTC | | | | | | | N AAT | | L- CTG | | | V GTG | 279 837 |

FIG 6A

RECEIVED

FEB 2 5 2005



Title: 15625 Receptor, A Novel G-Protei

Coupled Receptor Inventor(s): Glucksmann et al.

Application No: Not Assigned Atty Dkt No: 35800/238853(5800-13B)

8/8

| K | E | S | T | L | W | L | T | S | L | N | A | C | L | D | P | F | T | Y | F | 299 |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|
| AAA | GAG | AGT | ACT | CTG | TGG | TTA | ACT | TCC | TTA | AAT | GCA | TGC | CTG | GAT | CCG | TTC | ACC | TAT | TTT | 897 |
| F | L | C | K | S | F | R | N | S | L | I | S | M | L | k | C | P | N | S | A | 319 |
| TTC | CTT | TGC | AAG | TCC | TTC | AGA | AAT | TCC | TTG | ATA | AGT | ATG | CTG | aag | TGC | | AAT | TCT | GCA | 957 |
| | | | | | | | | | | | | | | | | | | | | |
| T | S | Q | S | Q | D | N | R | K | K | E | Q | D | G | G | D | P | N | E | E | 339 |
| ACA | TCT | CAG | TCC | CAG | GAC | AAT | AGG | AAA | AAA | Gaa | CAG | GAT | GGT | GGT | GAC | CCA | AAT | GAA | GAG | 1017 |

FIG 6B

RECEIVED

FEB 2 5 2005

TECH CENTER 1600/2900